

Printing date 09.08.2018

Revision: 09.08.2018

Page 1

Trade name: FOME FLEX MULTICLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: FOME FLEX MULTICLEANER

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture All purpose cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

JSC "Tegra State"

Kirtimy 67

02244 Vilnius, Lithuania

Tel: +370 5 266 1167 Fax: +370 5 266 1167

E-mail: info@tegra.lt

Internet: www.tegrastate.eu

1.4 Emergency telephone number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS02

GHS07

07 GHS0

Signal word Danger

Hazard-determining components of labelling:

D-Limonene

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.





Printing date 09.08.2018

Revision: 09.08.2018

Page 2

Trade name: FOME FLEX MULTICLEANER

Precautionary statements

| P102 | Keep out of reach of children. |
|------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P261 | Avoid breathing vapours/spray. |
| P273 | Avoid release to the environment. |
| | |

2.3 Other hazards

Results of PBT and vPvB assessment Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

| Dangerous components: | | | |
|--|------------|--------|--|
| CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43 | ethanol | 60-70% | |
| CAS: 5989-27-5 EINECS: 227-813-5 | D-Limonene | 10-20% | |
| CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119486557-22 | isobutane | 10-15% | |
| CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486557-22 | propane | 1-5% | |

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation. **After skin contact:** Immediately wash with water and soap and rinse thoroughly. **After eye contact:** Rinse opened eye for several minutes under running water. **After swallowing:** If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.





Printing date 09.08.2018

Revision: 09.08.2018

Page 3

Trade name: FOME FLEX MULTICLEANER

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Mouth respiratory protective device.

Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.





Printing date 09.08.2018

Revision: 09.08.2018

Page 4

Trade name: FOME FLEX MULTICLEANER

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

| Ingredients with limit values that require monitoring at the workplace: | | |
|---|---------------------------------------|--|
| 64-17-5 ethanol | | |
| WEL | Long-term value: 1920 mg/m³, 1000 ppm | |

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longerb exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

Protective gloves according to EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.





Printing date 09.08.2018

Revision: 09.08.2018

Page 5

Trade name: FOME FLEX MULTICLEANER

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

SECTION 9: Physical and chemical properties

| General Information | |
|--|--|
| Appearance: | |
| Form: | Aerosol |
| Colour: | Colourless |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| pH-value: | Not determined |
| Change in condition | |
| Melting point/freezing point: | Undetermined |
| Initial boiling point and boiling range: | Not applicable, as aerosol |
| Flash point: | Not applicable, as aerosol |
| Flammability (solid, gas): | Not applicable |
| Ignition temperature | 255 ℃ |
| Decomposition temperature: | Not determined |
| Auto-ignition temperature: | Product is not selfigniting |
| Explosive properties: | Not determined |
| Explosion limits: | |
| Lower: | 0,7 Vol % |
| Upper: | 15,0 Vol % |
| Vapour pressure at 20 °C: | 3000 hPa |
| Density: | Not determined |
| Relative density: | Not determined |
| Vapour density: | Not determined |
| Evaporation rate: | Not determined |
| Solubility in / Miscibility with water: | Not miscible or difficult to mix |
| Partition coefficient (n-octanol/water): | Not determined |
| Viscosity: | |
| Dynamic: | Not determined |
| Kinematic: | Not determined |
| Solvent content: | |
| VOC (EG) | 84,2 % |
| 9.2 Other information | No further relevant information available. |





Printing date 09.08.2018

Revision: 09.08.2018

Page 6

Trade name: FOME FLEX MULTICLEANER

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5** Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Flammable gases/vapours.

Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

| LD/LC50 values relevant for classification: | | | |
|---|------------------|--|--|
| 64-17-5 ethanol | | | |
| Oral Inhalative | LD50 LC50/4 h | 7,060 mg/kg (rat) 20,000 mg/l (rat) | |
| 5989-27-5 D-Limonene | | | |
| Oral | LD50 | 4,400 mg/kg (rat) | |

Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met. **STOT-repeated exposure** Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Aspiration nazara based on available data, the classification enteria are not men





Printing date 09.08.2018

Revision: 09.08.2018

Page 7

Trade name: FOME FLEX MULTICLEANER

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- **12.2** Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

Ecotoxical effects:

Remark: Toxic for fish

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

12.5 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| European waste catalogue | | |
|--------------------------|---|--|
| 16 05 04* | gases in pressure containers (including halons) containing hazardous substances | |
| 15 01 10* | packaging containing residues of or contaminated by hazardous substances | |

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

| 14.1 UN-Number ADR, IMDG, IATA | UN1950 |
|---|--|
| 14.2 UN proper shipping name ADR IMDG IATA | 1950 AEROSOLS AEROSOLS AEROSOLS, flammable |
| 14.3 Transport hazard class(es) ADR Class | 2 5F Gases |





Printing date 09.08.2018

Revision: 09.08.2018

Page 8

Trade name: FOME FLEX MULTICLEANER

| Label | 2.1 | |
|------------------------------------|-----------------------|--|
| IMDG, IATA | | |
| Class | 2.1 | |
| Label | 2.1 | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | Void | |
| 14.5 Special precautions for user: | Warning: Gases | |
| Danger code (Kemler): | _ | |
| EMS Number: | F-D,S-U | |
| Transport/Additional information: | | |
| ADR | | |
| Limited quantities (LQ) | 1L | |
| UN "Model Regulation": | UN1950, AEROSOLS, 2.1 | |

SECTION 15: Regulatory information

15.1 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

Flam. Gas 1: Flammable gases – Category 1

Aerosol 1: Aerosols - Category 1

Press. Gas C: Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

