

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31



Printing date 10.08.2022

Revision: 11.02.2022

## POINT 96

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

**Trade name:** POINT 96  
**Article number:** 03-1-0-096

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Adhesive.**  
**Application of the substance / the mixture** Solvent adhesives

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

UAB „TEGRA STATE“  
Kirtimų g. 67  
LT-02244 Vilnius  
Tel./faks. +370 5 266 11 67  
El. p.: info@tegra.lt  
www.tegra.lt, www.tegrastate.lt  
Tel./faks. +370 5 266 11 67  
El. p.: info@tegra.lt

#### 1.4 Emergency telephone number:

European emergency number: 112 (24h)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Sol. 1	H228	Flammable solid.
--------------	------	------------------



GHS07

Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
STOT SE 3	H336	May cause drowsiness or dizziness.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

##### Hazard pictograms



GHS02



GHS07

**Signal word** Danger

##### Hazard-determining components of labelling:

butanone

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31



Printing date 10.08.2022

Revision: 11.02.2022

## POINT 96

Hydrocarbons, C6, isoalkanes, <5% n-hexane  
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

### Hazard statements

H228 Flammable solid.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H412 Harmful to aquatic life with long lasting effects.  
H373 May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.  
H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 2.3 Other hazards

### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

Determination of endocrine-disrupting properties		
CAS: 78-93-3	butanone	List II

## SECTION 3: Composition/information on ingredients

### 3.1 Chemical characterisation: Mixtures

**Description:** Mixture: consisting of the following components.

Dangerous components:		
CAS: 78-93-3 EINECS: 201-159-0 Reg.nr.: 01-2119457290-43-XXXX	butanone Flam. Liq. 2, H225;  Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	<25%
EC number: 927-510-4 Reg.nr.: 01-2119475515-33-xxxx	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics Flam. Liq. 2, H225;  Asp. Tox. 1, H304;  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; STOT SE 3, H336	<15%
EC number: 931-254-9 Reg.nr.: 01-2119484651-34-XXXX	Hydrocarbons, C6, isoalkanes, <5% n-hexane Flam. Liq. 2, H225;  Asp. Tox. 1, H304;  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; STOT SE 3, H336	<10%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

**POINT 96**

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General information:**

Take affected persons out of danger area and lay down.  
Immediately remove any clothing soiled by the product.

**After inhalation:**

In case of unconsciousness place patient stably in side position for transportation.  
Supply fresh air; consult doctor in case of complaints.

**After skin contact:**

Remove contaminated clothing and shoes.  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.

**After eye contact:**

If present, remove contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:**

Do not induce vomiting; call for medical help immediately.  
If symptoms persist consult doctor.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing agents:**

Carbon dioxide.  
Fire-extinguishing powder.  
Water haze.

**For safety reasons unsuitable extinguishing agents: Water with full jet.**

**5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.  
In case of fire, the following can be released:  
Carbon monoxide (CO).  
Carbon dioxide (CO<sub>2</sub>).

**5.3 Advice for firefighters**

**Protective equipment:**

Wear self-contained respiratory protective device.  
Wear fully protective suit.

**Additional information**

Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

**POINT 96**

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.  
Ensure adequate ventilation.  
Keep away from ignition sources.  
Wear protective equipment. Keep unprotected persons away.

**6.2 Environmental precautions:**

Do not allow to enter sewers / surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.

**6.3 Methods and material for containment and cleaning up:**

Send for recovery or disposal in suitable receptacles.  
Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Use only in well ventilated areas.

**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:	
CAS: 78-93-3 butanone	
WEL	Short-term value: 899 mg/m <sup>3</sup> , 300 ppm Long-term value: 600 mg/m <sup>3</sup> , 200 ppm Sk, BMGV
CAS: 110-82-7 cyclohexane	
WEL	Short-term value: 1050 mg/m <sup>3</sup> , 300 ppm Long-term value: 350 mg/m <sup>3</sup> , 100 ppm

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31



Printing date 10.08.2022

Revision: 11.02.2022

## POINT 96

<b>CAS: 110-54-3 n-hexane</b>		
WEL	Long-term value: 72 mg/m <sup>3</sup> , 20 ppm	
<b>DNELs</b>		
<b>CAS: 78-93-3 butanone</b>		
Oral	DNEL	31 mg/kg/day (General population, consumers)
Dermal	DNEL	112 mg/kg/day (General population, consumers) 1161 mg/kg/day (Workers)
Inhalative	DNEL	106 mg/m3 (General population, consumers) 600 mg/m3 (Workers)
<b>Hydrocarbons, C6, isoalkanes, &lt;5% n-hexane</b>		
Oral	DNEL	1.301 mg/kg/Tag (General population, consumers)
Dermal	DNEL	1.377 mg/kg/Tag (General population, consumers) 13.964 mg/kg/Tag (Workers)
Inhalative	DNEL	1.137 mg/m3 (General population, consumers) 5.306 mg/m3 (Workers)
<b>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</b>		
Oral	DNEL	149 mg/kg/Tag (General population, consumers)
Dermal	DNEL	149 mg/kg/Tag (General population, consumers) 300 mg/kg/Tag (Workers)
Inhalative	DNEL	477 mg/m3 (General population, consumers) 2,085 mg/m3 (Workers)
<b>PNECs</b>		
<b>CAS: 78-93-3 butanone</b>		
(freshwater)		55.8 mg/l
(sea water)		55.8 mg/l
(freshwater sediments)		284.74 mg/kg
(sea water sediments)		287.7 mg/kg
(soil)		22.5 mg/kg
<b>Ingredients with biological limit values:</b>		
<b>CAS: 78-93-3 butanone</b>		
BMGV	70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one	

## 8.2 Exposure controls

### Personal protective equipment:

#### General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.  
 Keep away from foodstuffs, beverages and feed.  
 Wash hands before breaks and at the end of work.  
 Immediately remove all soiled and contaminated clothing.  
 Do not inhale dust / smoke / mist.  
 Do not eat or drink while working.

#### Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

**POINT 96**

Recommended:

Filter FFP2/FFP3

**Protection of hands:**



Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: <sup>3</sup> 0.38 mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

<sup>3</sup> 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**



Safety glasses

EN 166

**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

**Physical state**

Pasty

**Colour:**

Colorless

**Odour:**

Characteristic

**Melting point/freezing point:**

Not determined

**Boiling point or initial boiling point and boiling range**

Not determined

**Lower and upper explosion limit**

**Lower:**

Not determined

**Upper:**

Not determined

**Flash point:**

<60 °C

**Viscosity:**

**Kinematic viscosity at 40 °C**

>20.5 mm<sup>2</sup>/s

**Solubility**

**water:**

Insoluble

**organic solvents:**

Soluble in many organic solvents.

**Vapour pressure:**

Not applicable

**Density and/or relative density**

**POINT 96**

**Density:** 0.89 ± 0.05 g/cm<sup>3</sup>  
**Particle characteristics** See item 3.

**9.2 Other information**

**Appearance:**

**Form:**

Paste

**Important information on protection of health and environment, and on safety.**

**Auto-ignition temperature:**

Not determined

**Explosive properties:**

Product is not explosive. However, formation of explosive air / vapour mixtures are possible.

**Information with regard to physical hazard classes**

**Explosives**

Void

**Flammable gases**

Void

**Aerosols**

Void

**Oxidising gases**

Void

**Gases under pressure**

Void

**Flammable liquids**

Void

**Flammable solids**

**Flammable solid.**

**Self-reactive substances and mixtures**

Void

**Pyrophoric liquids**

Void

**Pyrophoric solids**

Void

**Self-heating substances and mixtures**

Void

**Substances and mixtures, which emit**

**flammable gases in contact with water**

Void

**Oxidising liquids**

Void

**Oxidising solids**

Void

**Organic peroxides**

Void

**Corrosive to metals**

Void

**Desensitised explosives**

Void

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions** Reacts with strong oxidising agents.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** Strong oxidants.

**10.6 Hazardous decomposition products:**

Hazardous decomposition products are not known if the regulations/ guidelines for storage and handling of the product are followed.

**POINT 96**

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause drowsiness or dizziness.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

<b>Endocrine disrupting properties</b>		
CAS: 78-93-3	butanone	List II

**SECTION 12: Ecological information**

**12.1 Toxicity**

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

**12.7 Other adverse effects**

**Remark:** Harmful to fish

**Additional ecological information:**

**General notes:**

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms



**POINT 96**

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Do not allow to enter surface or ground water.

Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department.

Substance/mixture as a waste compound brings hazardous properties HP: 3, 4, 5.14

Remove in accordance with applicable legislation.

European waste catalogue	
15 01 10*	packaging containing residues of or contaminated by hazardous substances

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

**14.1 UN-Number**

ADR, IMDG, IATA

UN3175

**14.2 UN proper shipping name**

ADR, IMDG, IATA

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.  
(HEPTANES)

**14.3 Transport hazard class(es)**

ADR, IMDG, IATA



**Class**

4.1 Flammable solids, self-reactive substances,  
polymerizing substances and solid desensitized  
explosives

**Label**

4.1

**14.4 Packing group**

ADR, IMDG, IATA

II

**14.5 Environmental hazards:**

**Marine pollutant:**

Harmful to aquatic life.

**14.6 Special precautions for user**

**Hazard identification number (Kemler code):**

40

**EMS Number:**

F-A,S-I

**Stowage Category**

B

**14.7 Transport in bulk according to Annex II  
of Marpol and the IBC Code**

Not applicable.

**POINT 96**

**Transport/Additional information:**

**ADR**

**Transport category**

**Tunnel restriction code**

**UN "Model Regulation":**

2

E

UN 3175 SOLIDS CONTAINING FLAMMABLE  
LIQUID, N.O.S. (HEPTANES, HYDROCAR-  
BONS, C<sub>6</sub>, ISOALKANES, <5% N-HEXANE),  
4.1, II

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

CAS: 78-93-3 butanone

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

CAS: 78-93-3 butanone

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

**Recommended restriction of use** Information in the appropriate technical data sheet of product.

**Version number of previous version: 1**

**Abbreviations and acronyms:**

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31



Printing date 10.08.2022

Revision: 11.02.2022

## POINT 96

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Sol. 1: Flammable solids – Category 1  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3